

# Material Safety Data Sheet

WHMIS (Pictograms)

WHMIS (Classification)

HCS

	E D-1B	HCS CLASS: Toxic. HCS CLASS: Corrosive liquid.
--	--------	---

## Section 1. Chemical Product and Company Identification

Product Name/ Trade name	<b>STRIP EASE</b>	Code	154
Synonym	Very Aggressive No-Rinse Stripper	CAS #	Not applicable.
Chemical Family	Not available.	Validation Date	2/8/2001
Chemical Formula	Not applicable.	Print Date	2/12/2001
Manufactured for	IFC Supply PO Box 266 Elkhart, IN 46515 (219) 296-7791	In Case of Emergency	(219) 296-7791
TSCA	TSCA Inventory: All components listed or are exempt from listing.		
DSL	DSL : All components listed unless noted elsewhere on this MSDS		
Protective Clothing			

## Section 2. Composition and Information on Ingredients

Name	CAS #	% by Weight	Exposure Limits	LC <sub>50</sub> /LD <sub>50</sub>
1) Water 2) 2-Butoxyethanol	7732-18-5 111-76-2	>52 <21	Not available. TWA: 20 (ppm) from ACGIH (TLV) [United States] TWA: 50 (ppm) from OSHA (PEL) [United States]	Not available. ORAL (LD50): Acute: 1746 mg/kg [Rat].
3) Potassium Hydroxide 4) Sodium Xylene Sulfonate 5) Monoethanolamine	1310-58-3 1300-72-7 141-43-5	<10 <7 <5	Not available. Not available. TWA: 3 (ppm) TWA: 6 (ppm) from OSHA (PEL) [United States] STEL: 6 (ppm)	Not available. Not available. Not available.
6) Tetrapotassium Pyrophosphate 7) Anionic Surfactant	7320-34-5 68130-47-2	<1 <1	Not available. Not available.	Not available. ORAL (LD50): Acute: 3950 mg/kg [Rat].
8) Tetrasodium salt of ethylenediaminetetraacetic acid 9) Triethanolamine	64-02-8 102-71-6	<1 <1	Not available. Not available.	ORAL (LD50): Acute: 3030 mg/kg [Rat]. ORAL (LD50): Acute: 4000 mg/kg [Rat].
10) Perfume Oil	N/A	<1	Not available.	Not available.

## Section 3. Hazards Identification

Potential Acute Health Effects	Corrosive to skin and eyes on contact. Liquid or spray mist may produce tissue damage particularly on mucous membranes of eyes, mouth and respiratory tract. Skin contact may produce burns. Inhalation of the spray mist may produce severe irritation of respiratory tract, characterized by coughing, choking, or shortness of breath. Severe over-exposure can result in death.
Potential Chronic Health Effects	Prolonged exposure may result in skin burns and ulcerations. Severe over-exposure can produce lung damage, choking, unconsciousness or death.

Carcinogenic Effects

Not classified or listed by IARC, NTP, OSHA, EU and ACGIH.

#### Section 4. First Aid Measures

Eye Contact	Causes eye burns. IMMEDIATELY flush eyes with running water for at least 15 minutes, keeping eyelids open. Seek immediate medical attention. Avoid contact with eyes.
Skin Contact	Remove contaminated clothing. Rinse with plenty of water for 15 minutes. Seek immediate medical attention.
Inhalation	Evacuate the victim to a safe area as soon as possible. If the victim is not breathing, perform mouth-to-mouth resuscitation.
Ingestion	Do not induce vomiting. Have conscious person drink several glasses of water or milk. Seek immediate medical attention.

#### Section 5. Fire Fighting Measures

Products of Combustion	Not available.
Fire Fighting Media and Instructions	Non-flammable substance.
Special Remarks on Fire Hazards	No additional remark.
Special Remarks on Explosion Hazards	No additional remark.

#### Section 6. Accidental Release Measures

Small Spill and Leak	Absorb with an inert material and place in an appropriate waste disposal container.
Large Spill and Leak	Corrosive liquid. Do not touch damaged container or spilled material. Call for assistance on disposal.
Personal Protection in Case of a Large Spill	Splash goggles. Full suit. Boots. Gloves. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.


#### Section 7. Handling and Storage

Precautions	After handling, always wash hands thoroughly with soap and water. Do not breathe gas/fumes/vapor/spray. Do not ingest. Good general ventilation should be sufficient to control airborne levels.
Incompatibility	acids , oxidizing materials
Storage	Corrosive materials should be stored in a separate safety storage cabinet or room. Handle and open container with care Keep out of the reach of children. Not for use or storage in or around the home.

#### Section 8. Exposure Controls/Personal Protection

Engineering Controls	Good general ventilation should be sufficient to control airborne levels.
Personal Protection	
<i>Eyes</i>	Splash goggles.
<i>Body</i>	Wear overalls or long sleeved shirt and long trousers, nitrile rubber or neoprene gloves, rubber boots.
<i>Respiratory</i>	Wear appropriate respirator when ventilation is inadequate.
<i>Hands</i>	Gloves (impervious).

Protective Clothing (Pictograms)



**Exposure Limits****2-Butoxyethanol**

TWA: 25 (ppm)

TWA: 50 (ppm) from OSHA (PEL)

**Monoethanolamine**

TWA: 3 (ppm)

TWA: 6 (ppm) from OSHA (PEL)

STEL: 6 (ppm)

Consult local authorities for acceptable exposure limits.

**Section 9. Physical and Chemical Properties**

<b>Physical State and Appearance</b>	Liquid. (Liquid.)	<b>Odor</b>	Characteristic.
<b>Molecular Weight</b>	Not applicable.	<b>Taste</b>	Not available.
<b>pH</b>	13.5 to 14 [Basic.]	<b>Color</b>	Colorless.
<b>Boiling/Condensation Point</b>	214°F initial		
<b>Melting/Freezing Point</b>	Not available.		
<b>Critical Temperature</b>	Not available.		
<b>Instability Temperature</b>	Not available.		
<b>Specific Gravity</b>	1.04 (Water = 1)		
<b>Vapor Pressure</b>	20mm Hg @ 68°F		
<b>Vapor Density</b>	>1 (Air = 1)		
<b>Volatility</b>	90		
<b>VOC</b>	Not available.		
<b>Evaporation Rate</b>	<1 compared to Water		
<b>Odor Threshold</b>	Not available.		
<b>LogK<sub>ow</sub></b>	Not available.		
<b>Ionicity (in Water)</b>	Not available.		
<b>Dispersion Properties</b>	See solubility in water.		
<b>Solubility</b>	Easily soluble in cold water.		
<b>The Product is:</b>	May be combustible at high temperature.		
<b>Auto-ignition Temperature</b>	Not available.		
<b>Flash Points</b>	Not available.		
<b>Flammable Limits</b>	Not available.		
<b>Fire Hazards in Presence of Various Substances</b>	Non-flammable.		
<b>Explosion Hazards in Presence of Various Substances</b>	No specific information is available in our database regarding the product's risks of explosion in the presence of various materials.		

### Section 10. Stability and Reactivity Data

Stability	The product is stable.
Incompatibility with Various Substances	acids , oxidizing materials
Hazardous Decomposition Products	Will not occur.

### Section 11. Toxicological Information

Routes of Entry	Absorbed through skin. Eye contact. Inhalation. Ingestion.
Toxicity to Animals	<b>WARNING: THE LC50 VALUES HEREUNDER ARE ESTIMATED ON THE BASIS OF A 4-HOUR EXPOSURE.</b> Acute oral toxicity (LD50): 1746 mg/kg [Rat]. (2-Butoxyethanol). Acute toxicity of the gas (LC50): 926 ppm 4 hour(s) [Mouse]. (2-Butoxyethanol).
Acute Effects on Humans	<i>Eyes</i> Corrosive to eyes on contact. Eye contact can result in corneal damage or blindness. <i>Skin</i> Corrosive to skin and eyes on contact. Tissue Destruction Possible. Skin contact may produce burns. <i>Inhalation</i> The product is a severe irritant for lungs and respiratory tract. Liquid or spray mist may produce tissue damage particularly on mucous membranes of eyes, mouth and respiratory tract. <i>Ingestion</i> Can be fatal if inhaled or ingested. May cause burns to mouth, throat and stomach.
Chronic Effects on Humans	Prolonged exposure may result in skin burns and ulcerations. Severe over-exposure can produce lung damage, choking, unconsciousness or death.
Special Remarks on Toxicity to Animals	No additional remark.
Special Remarks on Chronic Effects on Humans	No additional remark.

### Section 12. Ecological Information

Ecotoxicity	Not available.
BOD5 and COD	Not available.
Products of Biodegradation	Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.
Toxicity of the Products of Biodegradation	Not available.
Special Remarks on the Products of Biodegradation	No additional remark.


### Section 13. Disposal Considerations

Waste Information	Any method in accordance with applicable laws.
Waste Stream	Not available.


### Section 14. Transport Information


DOT (U.S.A)  
(Pictograms)



<b>TDG Classification</b>	8	
<b>PIN UN, Proper Shipping Name, PG</b>	Shipping name: Corrosive liquids n.o.s. UNNA: UN1760 PG: II	
<b>Maritime Transportation</b>	Not available.	
<b>Special Provisions for Transport</b>	Not available.	

**Section 15. Other Regulatory Information and Pictograms**

<b>WHMIS (Classification)</b>	E D-1B	
<b>Regulatory Lists</b>	No products were found.	
<b>Other Regulations</b>	OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).	
<b>Other Classifications</b>	<b>HCS (U.S.A.)</b>	HCS CLASS: Toxic. HCS CLASS: Corrosive liquid.
	<b>USA Regulatory Lists</b>	SARA 311/312 MSDS distribution - chemical inventory - hazard identification: 2-Butoxyethanol: immediate health hazard, delayed health hazard; Potassium Hydroxide: immediate health hazard SARA 313 toxic chemical notification and release reporting: 2-Butoxyethanol
	<b>DSD (EEC)</b>	R35- Causes severe burns.
	<b>International Regulations Lists</b>	No products were found.

<b>Hazardous Material Information System (U.S.A.)</b>	<b>Health</b>	<b>3</b>	<b>National Fire Protection Association (U.S.A.)</b>	
	<b>Flammability</b>	<b>0</b>		
	<b>Reactivity</b>	<b>0</b>		
	<b>Personal Protection</b>	<b>J</b>		

**Section 16. Other Information**

Validated by CRushton on 2/8/2001. Verified by CRushton.  
Printed 2/12/2001.

**Information Contact**    **IFC Supply**  
**PO Box 266**  
**Elkhart, IN 46515**

Notice to Reader  
*To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.*